

Industry Leading Stainless Steel Since 2003

**MAS**<sup>®</sup>  
masales.com.au



## MAS Head Office Queensland

**Mark Anderson Sales Pty Ltd**

4 / 84 Ingleston Road Wakerley QLD 4154

Phone: 07 3890 8011

[sales@masales.com.au](mailto:sales@masales.com.au)

### North Queensland

**Youngs Distribution Centre**

8 Whitehouse Street

Garbutt QLD 4814

Phone: 07 4779 0222

[ydc.sales@optusnet.com.au](mailto:ydc.sales@optusnet.com.au)

### South Australia & N.T

**Harsmith Building Products**

A / 12 Circuit Drive

Hendon SA 5014

Phone: 0408 516 682

[admin@harsmithbp.com](mailto:admin@harsmithbp.com)

### Tasmania

**R M Daniels & Co**

2 / 10 Kennedy Drive

Cambridge TAS 7170

Phone: 03 6248 4872

[sales@rmdaniels.com.au](mailto:sales@rmdaniels.com.au)

### West Australia

**Pride Industries**

138 Hasler Road

Osborne Park WA 6017

Phone: 08 9272 6511

[sales@prideindustries.com.au](mailto:sales@prideindustries.com.au)

### Victoria

**Hotwire Agencies**

1 / 7-9 Newcastle Road

Bayswater VIC 3153

Phone: 1300 HOTWIRE

[info@hotwireheating.com.au](mailto:info@hotwireheating.com.au)

### New South Wales

**Grates 2 Go Pty Ltd**

Unit B / 60 Bells Line of Road

North Richmond NSW 2754

Phone: 02 4571 1530

[admin@grates2go.com.au](mailto:admin@grates2go.com.au)

## Wall Mounted Basins

- 1-1** HB3 Compact
- 1-2** HB1 Hand wash basin
- 1-3** CS4 Jumbo hand basin
- 1-4** HB300 Hand basin with splashback
- 1-5** HB4 Corner hand basin
- 1-6** HB5 Round hand basin
- 1-7** OFK2 Overflow Kit

## Round Pressed Bowls

- 2-1** RB1 & RB2 Round Bowl
- 2-2** SB1 Round hand basin

## Inset Hand Basins

- 2-3** HB6 inset bar sink
- 2-4** HB7 Inset hand wash basin

## Domestic Sinks

- 3-1** Signature pressed bowls
- 3-2** Coastal pressed bowls
- 3-3** Swordfish Series
- 3-4** Whitsunday Series
- 3-5** WF Series

## Commercial Sinks

- 4-1** Laboratory sinks
- 5-1** Wash Troughs
- 6-1** Handsfree basins
- 7-1** Cleaners sink with legs
- 7-2** Cleaners sinks with brackets

## Tundish

- 8-1** TD3XL extended front IWT
- 8-2** TD3 In Wall Tundish
- 8-3** TD9 On Wall Tundish
- 8-3** TD6 Counter Top Tundish

## Urinals & Cisterns

- 9-1** Cisterns
- 9-2** Single stall urinal
- 9-3** 600mm urinal
- 9-4** 1200mm urinal
- 9-5** 1500mm urinal
- 9-6** 1800mm urinal
- 9-7** 2400mm urinal

## Urinal Spare Parts

- 10-1** Spreader setups
- 10-2** Sparge adaptors
- 10-2** Sparge nuts
- 10-2** Sparge pipe
- 10-3** Pipe clips
- 10-3** Spreaders
- 10-3** Grates

## Wastes

- 11-1** Commercial sink waste
- 11-2** Basket waste
- 11-2** Plug & Waste
- 11-3** SSBW Scrap catch
- 11-4** Acid Resistant
- 11-5** Floor grates

## Commercial Kitchens

- 12-1** Weld in Ice Wells
- 12-2** Drop in Ice Wells
- 13-1** Dishwasher Racks
- 13-2** Glass Racks

## Tapware

- 14-1** Basin mixer
- 14-1** Sink mixer
- 14-2** Lever handle mixers
- 14-3** Dri Seal
- 14-4** Pre Rinse unit

## Drawers

- 15-1** Stainless steel drawer stacks
- 15-2** Stainless steel drawers

## Fabrication

- 16-1** Hand Fabricated Bowls
- 16-2** Hand Fabricated Accessories
- 16-2** Sound Deadener
- 16-2** Weld wire / Electrodes
- 17-1** Stainless steel handles
- 18-1** Feet & Inserts
- 19-1** Wedge Wire



*MAS reserves the right to change product Specifications and design at any time without notice*

<b>Product Code</b>	<b>HB3</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	0.9mm
<b>Material Finish</b>	Polished Finish
<b>Type of Mounting</b>	Wall Mounted (Brackets included)
<b>Overall Size</b>	400 x 220mm
<b>Bowl Size</b>	300 x 150mm
<b>Depth</b>	95mm
<b>Capacity</b>	3.5 Litres
<b>Outlet Size</b>	40mm
<b>Tap Holes</b>	Left or Right

Options – Sold Separately






PW40



MIX20



MIX20-DC





Product Code	<b>HB1-2</b> Basin and brackets
Product Code	<b>HB1</b> Basin only
Material	304 grade Stainless Steel
Material Thickness	0.9mm
Material Finish	Polished Finish
Type of Mounting	Wall Mounted with HB2 Brackets
Overall Size	500 x 420mm
Bowl Size	435 x 285mm
Overall Depth of Bowl	180mm
Capacity	13 Litres *Meets commercial hand washing requirements
Outlet Size	40mm
Tap Holes	Left, Right or Centre

### Options – Sold Separately







PW40



MIX20



MIX20-DC



<b>Product Code</b>	<b>CS4</b>	Basin only
<b>Brackets to suit Code</b>	<b>CS2</b>	Reinforced Wall brackets
<b>Material</b>	304 grade Stainless Steel	
<b>Material Thickness</b>	0.9mm	
<b>Material Finish</b>	Polished Finish	
<b>Type of Mounting</b>	Wall Mounted with CS2 Brackets	
<b>Overall Size</b>	555 x 455mm	
<b>Bowl Size</b>	480 x 380mm	
<b>Overall Depth of Bowl</b>	220mm	
<b>Capacity</b>	32 Litres	
<b>Outlet Size</b>	90mm	
<b>Tap Holes</b>	Left or Right	



### Options – Sold Separately






BW90S

PW9050

OFK2

MIX22

MIX22-DC



<b>Product Code</b>	<b>HB300</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	0.9mm
<b>Material Finish</b>	Polished Finish
<b>Type of Mounting</b>	Wall Mounted HB2 Brackets included
<b>Splashback</b>	300mm high fixed splashback
<b>Overall Size</b>	500 x 420mm
<b>Bowl Size</b>	435 x 285mm
<b>Overall Depth of Bowl</b>	180mm
<b>Capacity</b>	13 Litres *Meets commercial hand washing requirements
<b>Outlet Size</b>	40mm
<b>Tap Holes</b>	Left, Right or Centre

### Options – Sold Separately







PW40



MIX20



MIX20-DC



<b>Product Code</b>	<b>HB4</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	1mm
<b>Material Finish</b>	Brushed Finish
<b>Type of Mounting</b>	Wall Mounted
	Brackets included
<b>Overall Size</b>	360 x 360mm
<b>Bowl Size</b>	303 mm diameter
<b>Overall Depth of Bowl</b>	123mm
<b>Capacity</b>	6.2 Litres
<b>Outlet Size</b>	40mm -Plug and waste included
<b>Tap Holes</b>	Left, Right or centre



Options – Sold Separately



MIX20



MIX20-DC








<b>Product Code</b>	<b>HB5</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	1mm
<b>Material Finish</b>	Brushed Finish
<b>Type of Mounting</b>	Wall Mounted
	Brackets included
<b>Overall Size</b>	360 x 360mm
<b>Bowl Size</b>	303mm diameter
<b>Overall Depth of Bowl</b>	123mm
<b>Capacity</b>	6.2 Litres
<b>Outlet Size</b>	40mm -Plug and waste included
<b>Tap Holes</b>	Left or Right



### [Options – Sold Separately](#)



<b>Product Code</b>	<b>OFK2</b>
<b>Material</b>	Polypropylene / Stainless Steel
<b>Cut out required</b>	32mm diameter cut out required
<b>Type of Mounting</b>	In bowl
<b>Fixing</b>	Self-sealing rubber washer and screw  Can be retro fitted to new or existing bowls with a 32mm hole cut  19mm hose designed to attach to your sinks S-Trap overflow or washing machine provision
<b>Outlet Size</b>	19mm to fit standard S-trap
<b>Hose length</b>	500mm



**Product Code**      **RB1**      - 304 grade

**RB2**      - 304 grade

**RB2316** - 316 grade



**Material Thickness**      0.9mm

**Material Finish**      Mirror Finish

**Type of Mounting**      Inset, Undermount or Weld in

**Flange Width**      20mm

**Outlet Size**      Plug and waste included



Code      **RB1**  
Depth      120mm  
Capacity 7 Litres

Code      **RB2**  
            **RB2316**  
Depth      145mm  
Capacity 12 Litres

<b>Product Code</b>	<b>SB1</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	0.9mm
<b>Material Finish</b>	Polished Finish
<b>Type of Mounting</b>	Inset into benchtop with sink clips & seal
<b>Overall Diameter</b>	430mm
<b>Bowl Size</b>	375mm
<b>Bowl Depth</b>	180mm
<b>Capacity</b>	17 Litres
<b>Outlet Size</b>	90mm
<b>Cut out size</b>	395mm diameter



[Options – Sold Separately](#)





BW90S



PW9050



SSBW






<b>Product Code</b>	<b>HB6</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	0.8mm
<b>Material Finish</b>	Satin Finish
<b>Type of Mounting</b>	Inset into benchtop with sink clips & seal
<b>Overall Size</b>	380 x 380mm
<b>Bowl Size</b>	260 x 310mm
<b>Bowl Depth</b>	150mm
<b>Capacity</b>	9.5 Litres
<b>Outlet Size</b>	90mm
<b>Cut out size</b>	350 x 350mm
<b>Tap Holes</b>	Left, Right or Centre



Options – Sold Separately



<b>Product Code</b>	<b>HB7</b>
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	0.9mm
<b>Material Finish</b>	Polished Finish
<b>Type of Mounting</b>	Inset into benchtop with sink clips & seal
<b>Overall Size</b>	505 x 415mm
<b>Bowl Size</b>	435 x 285mm
<b>Bowl Depth</b>	180mm
<b>Capacity</b>	13 Litres
<b>Outlet Size</b>	40mm
<b>Cut out size</b>	480 x 390mm
<b>Tap Holes</b>	Left, Right or Centre



### Options – Sold Separately





PW40



MIX20



MIX20-DC



<b>Product</b>	<b>Signature Series</b>
<b>Material</b>	304 grade Stainless Steel
<b>Mounting</b>	Inset, Undermount or flush mount includes fixing straps
<b>Finish</b>	Highly polished finish
<b>Outlet Size</b>	90mm outlet *Basket waste not included
<b>Warranty</b>	25 Years Domestic

[Options – Sold Separately](#)



BW90S



PW9050




SSBW




### PB7

4 Litres  
Bowl 145 x 285  
Depth 105  
Flange 15  
0.9mm 304 grade




### PB1

9 Litres  
Bowl 230 x 285  
Depth 150  
Flange 15  
0.9mm 304 grade




### PB2

14 Litres  
Bowl 305 x 305  
Depth 170  
Flange 15  
0.9mm 304 grade



### PB3

17 Litres  
Bowl 355 x 305  
Depth 170  
Flange 15  
0.9mm 304 grade



### PB4 Options – Sold Separately



PB4FB




PB4DT




### **PB4**

22 Litres  
Bowl 410 x 355  
Depth 170  
Flange 15  
0.9mm 304 grade




### **PB5**

33 Litres  
Bowl 450 x 400  
Depth 190  
Flange 25  
0.9mm 304 grade




### **PB6**

28 Litres  
Bowl 510 x 355  
Depth 180  
Flange 15  
0.9mm 304 grade



### **PB8**

40 Litres  
Bowl 450 x 450  
Depth 250  
Flange 25  
1.2mm 304 grade






<b>Product</b>	<b>Coastal Series</b>
<b>Material</b>	316 Grade Premium Stainless Steel
<b>Mounting</b>	Inset, Undermount or flush mount includes fixing straps
<b>Finish</b>	Highly polished finish
<b>Outlet Size</b>	90mm outlet *Basket waste not included
<b>Warranty</b>	30 Years Domestic



### PB2316

14 Litres  
Bowl 305 x 305  
Depth 170  
Flange 15  
0.9mm 316 grade



#### [Options – Sold Separately](#)



BW90S



PW9050




SSBW




### PB3316

17 Litres  
Bowl 355 x 305  
Depth 170  
Flange 15  
0.9mm 316 grade




### PB4316

22 Litres  
Bowl 410 x 355  
Depth 170  
Flange 15  
0.9mm 316 grade




### PB6316

28 Litres  
Bowl 510 x 355  
Depth 180  
Flange 15  
0.9mm 316 grade




### PB4316SB

Shallow prep bowl  
10 Litres  
Bowl 410 x 355  
Depth 80  
Flange 15  
0.9mm 316 grade



### PB4316DB

22 x 22 Litres  
Bowls 2 x 410 x 355  
Depth 170  
Flange 15  
0.9mm 316 grade



[Additional Options – Sold Separately](#)

*Suitable for:*

PB4316

PB4316SB


PB4316DB



PB4FB




PB4DT



## SW33B

### Cutting Board


Suitable for all sinks  
Routed edge to lock into bowl  
Sapele Hardwood  
Easy clean finish



## SW32C

### Colander


Suitable for all sinks  
Drop into sinks  
Safety corners  
304 grade stainless steel



## SW76T


### Drainer Tray

Suitable for all sinks  
304 grade stainless steel  
Flush sink fitting




### SW45SB

30 Litre capacity  
90mm rear waste (basket waste included)  
304 grade stainless steel 1.2mm thick  
Inset with sink clips or undermount  
Cut out template included  
10mm radius corners for easy cleaning  
Accessories available




### SW55SB

38 Litre capacity  
90mm rear waste (basket waste included)  
304 grade stainless steel 1.2mm thick  
Inset with sink clips or undermount  
Cut out template included  
10mm radius corners for easy cleaning  
Accessories available




### SW73DB-LH

30 x 19 Litre capacity  
90mm rear waste (basket waste included)  
304 grade stainless steel 1.2mm thick  
Inset with sink clips or undermount  
Cut out template included  
10mm radius corners for easy cleaning  
Accessories available  
**SW73DB-LH** (Left hand main bowl)



### SW73DB-RH

30 x 19 Litre capacity  
90mm rear waste (basket waste included)  
304 grade stainless steel 1.2mm thick  
Inset with sink clips or undermount  
Cut out template included  
10mm radius corners for easy cleaning  
Accessories available  
**SW73DB-RH** (Right hand main bowl)



### SW76DB

26 x 26 Litre capacity  
90mm rear waste (basket waste included)  
304 grade stainless steel 1.2mm thick  
Inset with sink clips or undermount  
Cut out template included  
10mm radius corners for easy cleaning  
Accessories available



## WH720

26 x 26 Litre capacity  
90mm rear waste (basket waste included)  
304 grade stainless steel 1.0mm thick  
Inset or undermount  
Cut out template included  
10mm radius corners for easy cleaning  
Slim bridge design


Optional accessories available



**SW32C**  
Colander



**SW33B**  
Cutting Board



## WH1100



30 x 30 Litre capacity  
 Symmetrical bowls and drainer  
 Reversible left or right hand drainer  
 90mm offset centred (basket waste included)  
 304 grade stainless steel 1.0mm thick  
 Inset or undermount  
 Cut out template included  
 10mm radius corners for easy cleaning  
 Slim bridge design


Optional accessories available



**SW32C**  
Colander




**SW33B**  
Cutting Board



### HF3WF

37.5 Litre capacity  
400 x 350 x 300mm plus 25mm flange  
90mm centre waste  
304 grade stainless steel 1.2mm thick  
25mm radius corners for extra easy cleaning  
Inset or undermount



#### Options – Sold Separately



BW90S



PW9050



SSBW



SW32C




SW33B



SW76T

### HF12WF

50 Litre capacity  
450 x 400 x 300mm plus 25mm flange  
90mm centre waste  
304 grade stainless steel 1.2mm thick  
25mm radius corners for extra easy cleaning  
Inset or undermount



#### Options – Sold Separately



BW90S



PW9050



SSBW



SW32C





SW33B



SW76T

### HF6WF

55.5 Litre capacity  
450 x 450 x 300mm plus 25mm flange  
90mm centre waste  
304 grade stainless steel 1.2mm thick  
25mm radius corners for extra easy cleaning  
Inset or undermount



[Options – Sold Separately](#)



BW90S





PW9050



SSBW

### HF18WF

50 Litre capacity  
600 x 450 x 217mm plus 25mm flange  
90mm end waste  
304 grade stainless steel 1.2mm thick  
25mm radius corners for extra easy cleaning  
Inset or undermount



[Options – Sold Separately](#)



BW90S



PW9050



SSBW



HFCB3 to suit HF18WF only

### LAB99



316 grade Stainless, 0.9mm

13 Litre capacity

50mm centre outlet

Bowl size 305x305x150

Raised wet edge for spills



### LAB3325



316 grade Stainless, 1.2mm

19.5 Litre capacity

50mm centre outlet

Bowl size 300x300x250

Raised wet edge for spills



### LAB4325



316 grade Stainless, 1.2mm

26 Litre capacity

50mm centre outlet

Bowl size 400x300x250

Raised wet edge for spills



[Options – Sold Separately](#)



PW50ARS



PW50AR



### LAB4430



316 grade Stainless, 1.2mm

43 Litre capacity

50mm centre outlet

Bowls size 400x400x300

Raised wet edge for spills



### LAB44WD

Lab sink with drainer



316 grade Stainless, 1.2mm

36 Litre capacity

50mm centre outlet

Bowls size 400x400x250

Drainer size 400x400



[Options – Sold Separately](#)



PW50ARS



PW50AR

**Product Code**     **WT12** 1200mm

**WT15** 1500mm

**WT18** 1800mm



*Ex Brisbane only*

**Size options**     3 Standard sizes

Centre outlet

**Material**     1.2mm     304 grade Stainless Steel

**Fixing**     Wall mounted with fixed heavy duty brackets



**Tapholes**     Optional

**Tap position**     Tap deck or bubbler landing

**Outlet**     50mm centre outlet

Plug and waste included

**Options**     Optional 300mm splashback




<b>Product Code</b>	<b>Hands free basin – 4 models available</b>
<b>Material</b>	304 grade Stainless Steel
<b>Bowl Size</b>	420 x 267 x 155mm deep
<b>Capacity</b>	13 Litres *meets commercial hand wash requirements
<b>Includes</b>	Wels approved fittings and hardware
<b>Options</b>	Optional 300mm splashback available



### KO1

Time flow valve – one press for activation  
**With** Temperature mixing valve


The operating valve is set to run for 15 seconds (+5/-5)  
 To suit AS4674-2004 clause 4.4.2



### KO1XX


**Time flow** valve – one press for activation  
**Without** temperature mixing valve  
 (cold water application only)

The operating valve is set to run for 15 seconds (+5/-5)  
 To suit AS4674-2004 clause 4.4.2



### KO2

**NON time flow** valve  
 Water flows when panel is activated  
**With** Temperature mixing valve



### KO2XX

**NON time flow** valve  
 Water flows when panel is activated  
**Without** temperature mixing valve  
 (cold water application only)

[Options – Sold Separately](#)

Code: **SBACK**  
 300mm separate piece splashback  
 To suit all models



<b>Product Code</b>	<b>CS1-3 Cleaners sink with legs</b>
<b>Product Code</b>	CS1 Cleaners sink only
<b>Product Code</b>	CS3 Legs only
<b>Description</b>	Cleaners sink with adjustable floor legs and hinged grate
<b>Material</b>	304 grade Stainless Steel
<b>Material Thickness</b>	0.9mm
<b>Material Surface Finish</b>	Satin Finish
<b>Type of Mounting</b>	Wall / Floor mounted with CS3 Brackets 450 mm – 495 mm Height adjustment
<b>Overall Size</b>	555 x 455mm
<b>Bowl Size</b>	480 x 380mm
<b>Overall Depth of Bowl</b>	220mm
<b>Capacity</b>	32 Litres
<b>Outlet Size</b>	90mm



### Options – Sold Separately






BW90S



PW9050



Optional separate piece splashback available  
**SBACK-300** 300mm high  
**SBACK-450** 450mm high  
**SBACK-600** 600mm high



Product Code	CS1-2 Cleaners sink with Wall Brackets
Product Code	CS1 Cleaners sink only
Product Code	CS2 Brackets only
Description	Cleaners sink with reinforced wall brackets and hinged grate
Material	304 grade Stainless Steel
Material Thickness	0.9mm
Material Surface Finish	Satin Finish
Type of Mounting	Wall mounted with CS2 wall brackets 440 x 400mm
Overall Size	555 x 455mm
Bowl Size	480 x 380mm
Overall Depth of Bowl	220mm
Capacity	32 Litres
Outlet Size	90mm



### Options – Sold Separately



BW90S



PW9050






Optional separate piece  
splashback available

**SBACK-300** 300mm high

**SBACK-450** 450mm high

**SBACK-600** 600mm high





**Product Code**

**TD3XL**

*Design Registered*

**Extended Front In wall Tundish with windowed face plate**

**Suitable for walls up to 37mm thick**

**Material**

304 grade Stainless Steel

**Material Thickness**

1.2mm

**Material Surface Finish**

Satin Finish –Anti corrosion surface

**Type of Mounting**

In wall stud fixed

**Inlet Size (3 hole)**

25 x 35 x 25mm

**Outlet Size**

40mm BSP male thread



**Features**

Self-Draining tapered body

Extended front

Air break to prevent air lock

\*Installation instructions must be observed



Other face plate options:



**Product Code**

**TD3**

*Design Registration*

**In wall Tundish with windowed face plate**

**Material**

304 grade Stainless Steel

**Material Thickness**

1.2mm

**Material Surface Finish**

Satin Finish –Anti corrosion surface

**Type of Mounting**

In wall stud fixed

**Inlet Size (3 hole)**

25 x 35 x 25mm

**Outlet Size**

40mm BSP male thread

**Features**

Self-Draining tapered body

Air break to prevent air lock

Will fit 60mm Stud

**Other Options**

**TD3BF**

In wall tundish with Blank face panel

**TD3WWF**



In wall tundish with White window face

**TD3WBF**

In wall tundish with White Blank face



**Other face plate options**



**Product Code**

**TD9**

**Material**

304 grade Stainless Steel

**Material Thickness**

1.2mm

**Material Surface Finish**

Satin Finish

**Type of Mounting**

Wall mounted

**Inlet Size**

100 x 85mm tapered


**Outlet Size**

40mm BSP male thread

**Features**

Tapered design

Large inlet and body for head pressure



**Product Code**

**TD6**

**Material**

Chrome plated Brass

**Material Surface Finish**

Polished Finish

**Type of Mounting**

Through counter with back nut

**Inlet Size**

48mm diameter


**Outlet Size**

20mm BSP male thread

**Features**

Tapered design

Stylish polished finish to match coffee machines / Boiler units



### CN1 - Top press single flush

2.6 L flush  
inlet – LH side (reversible) 15mm bsp  
outlet – 50mm bsp



CN1 Spare parts available  
Inlet valve CNZ1  
Outlet valve CNZ3

### CN2 - Front press dual flush

3 L half/ 6 L full flush  
inlet – LH side (reversible) 15mm bsp  
outlet – 50mm bsp



CN2 Spare parts available  
Inlet valve CNZ1  
Outlet valve CNZ4

### CN3 - Top press dual flush

3 L half/ 6 L full flush  
inlet – LH side (reversible) 15mm bsp  
outlet – 50mm bsp



CN3 Spare parts available  
Inlet valve CNZ1  
Outlet valve CNZ5  
Dual flush button only CNZ5A

### CN4 - Pull Chain single flush

2.6 L flush  
inlet – LH side (reversible) 15mm bsp  
outlet – 40mm bsp



CN4 Spare parts available  
Inlet valve CNZ1  
Outlet valve CNZ6

### CN5 - Dual flush – Disability Care button


3 L half/ 6 L full flush  
inlet – LH side (reversible) 15mm bsp  
outlet – 50mm bsp



CN5 Spare parts available  
Inlet valve CNZ1  
Outlet valve CNZ5  
Dual flush care button only CNZ5B

### CN - Blank cistern case with set holes

### CN11 - Blank cistern case NO holes



#### Options – Sold Separately




Adaptors



Pipes



Clips



**Product Code**

**UR1**

**Material**

**Single stall urinal**

304 grade Stainless Steel

**Inlet**

SP1 Top entry spreader

Universal to fit either 20 or 25mm sparge pipe

optional back entry available on request 15 or 20mm bsp

**Outlet**

SP4 50mm domed urinal grate

50mm BSP male thread

**Comments**

Wels and Watermarked



Complete setup- **UR1COM**

Parts included:


CN4 – Pullchain cistern

AD4 – 40x25mm adaptor

SP3A – 1000x25mm Sparge pipe

CL25 – 25mm pipe clip

UR1 – Single stall urinal





**Product Code** **UR4**

**600 mm Urinal**

**Material** 304 grade Stainless Steel

**Inlet** 40mm bsp thread with nut and tapered washer.

**Pipe** Included 40 x 750mm sparge pipe to suit CN4 Pullchain cistern

**Outlet** SP4 50mm domed urinal grate

50mm BSP male thread


Left hand outlet only

**Comments** Wels and Watermarked


Fixing points at top and bottom of urinal



**Front View - UR4**



**Rear View - UR4**



Complete setup- **UR4COM**

Parts included:

CN4 – Pullchain cistern

SP5A – 750x40mm Sparge pipe


CL40 – 40mm pipe clip

UR4 – 600mm urinal


<b>Product Code</b>	<b>UR2</b>
	<b>1200 mm Urinal</b>
<b>Material</b>	304 grade Stainless Steel
<b>Inlet</b>	40mm bsp thread with nut and tapered washer.
<b>Pipe</b>	Included 40 x 750mm sparge pipe to suit CN4 Pullchain cistern
<b>Outlet</b>	SP4 50mm domed urinal grate
	50mm BSP male thread
	Left hand outlet only
<b>Comments</b>	Wels and Watermarked
	Fixing points at top and bottom of urinal



**Front View - UR2**



**Rear View - UR2**



**Complete setup- UR2COM**

**Parts included:**

CN4 – Pullchain cistern

SP5A – 750x40mm Sparge pipe

CL40 – 40mm pipe clip

UR2 – 1200mm urinal

**Product Code** UR5

**1500 mm Urinal**

**Material** 304 grade Stainless Steel

**Inlet** 40mm bsp thread with nut and tapered washer.

**Pipe** Included 40 x 750mm sparge pipe to suit CN4 Pullchain cistern

**Outlet** SP4 50mm domed urinal grate

50mm BSP male thread


Left hand outlet only

**Comments** Wels and Watermarked


Fixing points at top and bottom of urinal



**Front View - UR5**



**Rear View - UR5**



Complete setup- **UR5COM**

Parts included:

CN4 – Pullchain cistern

SP5A – 750x40mm Sparge pipe

CL40 – 40mm pipe clip

UR5 – 1500mm urinal

**Product Code** UR3

**1800 mm Urinal**

**Material** 304 grade Stainless Steel

**Inlet** 40mm bsp thread with nut and tapered washer.

**Pipe** Included 40 x 750mm sparge pipe to suit CN4 Pullchain cistern

**Outlet** SP4 50mm domed urinal grate

50mm BSP male thread


Left hand outlet only

**Comments** Wels and Watermarked


Fixing points at top and bottom of urinal



**Front View - UR3**



**Rear View - UR3**



Complete setup- **UR3COM**

Parts included:

CN4 – Pullchain cistern

SP5A – 750x40mm Sparge pipe

CL40 – 40mm pipe clip

UR3 – 1800mm urinal

**Product Code** UR6

**2400 mm Urinal**

**Material** 304 grade Stainless Steel

**Inlet** 40mm bsp thread with nut and tapered washer.

**Pipe** Included 40 x 750mm sparge pipe to suit CN4 Pullchain cistern

**Outlet** SP4 50mm domed urinal grate

50mm BSP male thread


Left hand outlet only

**Comments** Wels and Watermarked


Fixing points at top and bottom of urinal



**Front View - UR6**



**Rear View - UR6**



Complete setup- **UR6COM**

Parts included:

CN4 – Pullchain cistern

SP5A – 750x40mm Sparge pipe

CL40 – 40mm pipe clip

UR6 – 2400mm urinal

Sparge spreader systems for new or updating existing slab urinals.  
A cheaper alternative to replacing whole urinal units.  
Multiple parts breakdown for custom ordering.

**Product** 2 Tier spreader system

**3 Tier spreader system**


**4 Tier spreader system**

**Material** 304 grade Stainless Steel & CP Brass

**Parts** Multiple parts break down for ordering as required


1. SP1 spreader - 2 required
2. SPELB elbow - 2 required
3. SPTEE 20x20x20 - 1 required
4. SP2S straight 1000x20mm pipe - 2 required
5. SP2 offset 1000x20mm pipe - 1 required
6. AD3 adaptor 40x20 - 1 required
7. CN4 pullchain cistern - 1 required

*\*3 x CL20 safety pipe clips recommended*




1. SP1 spreader - 3 required
2. SPELB elbow - 2 required
3. SPCROSS cross - 1 required
4. SP2S straight 1000x20mm - 3 required
5. SP2 offset 1000x20mm - 1 required
6. AD3 adaptor 40x20 - 1 required
7. CN4 pullchain cistern - 1 required

*\*3 x CL20 safety pipe clips recommended*



1. SP1 spreader - 4 required
2. SPELB elbow - 2 required
3. SPTEE20x20x20 - 2 required
4. SPTEE 20x25x20 - 1 required
5. SP2S straight 1000x20mm pipe - 3 required
6. SP3A offset 1000x25mm pipe - 1 required
7. AD4 adaptor 40x25 - 1 required
8. CN4 pullchain cistern - 1 required

*\*CL20 & CL25 pipe clips as required*





## SPARGE ADAPTORS

Chrome plated brass construction, with pipe sealing washer

<b>AD1</b>	32mm female bsp x 20mm pipe size
<b>AD2</b>	32mm female bsp x 25mm pipe size
<b>AD3</b>	40mm female bsp x 20mm pipe size
<b>AD4</b>	40mm female bsp x 25mm pipe size
<b>AD10</b>	40mm female bsp x 32 mm pipe size
<b>AD5</b>	50mm female bsp x 20mm pipe size
<b>AD6</b>	50mm female bsp x 25mm pipe size
<b>AD11</b>	50mm female bsp x 32mm pipe size
<b>AD12</b>	50mm female bsp x 40mm pipe size



## SPARGE NUTS

Chrome plated brass construction, with pipe sealing washer

<b>AD7</b>	25mm female bsp x 20mm pipe size
<b>AD8</b>	25mm female bsp x 25mm pipe size
<b>AD9</b>	32mm female bsp x 32mm pipe size
<b>AD9A</b>	40mm female bsp x 40mm pipe size



## SPARGE PIPE 20MM

<b>SP2</b>	20mm x 1000mm * 20mm standard offset
<b>SP2A</b>	20mm x 1000mm * 50mm offset
<b>SP2S</b>	20mm x 1000mm * Straight

## SPARGE PIPE 25MM

<b>SP3</b>	25mm x 1000mm *20mm standard offset
<b>SP3A</b>	25mm x 1000mm *50mm offset

## SPARGE PIPE 40MM

<b>SP5</b>	40mm x 750mm *20mm standard offset
<b>SP5A</b>	40mm x 750mm *50mm offset



*\*Longer lengths available on request*

### Pipe Clips

20mm Stand off Chrome plated brass construction

**CL15** 15mm pipe clip

**CL20** 20 mm pipe clip

**CL25** 25mm pipe clip

**CL32** 32mm pipe clip

**CL40** 40mm pipe clip

**CL50** 50mm pipe clip



### Back entry button spreaders

Chrome plated brass construction

**BS1** Button Spreader 15mm bsp rear entry

**BS2** Button Spreader 20mm bsp rear entry



### SP1


Urinal Spreader

Universal to suit 20 & 25mm sparge pipe

Chrome plated brass

Will cover 500mm at 250mm drop

Counter sunk fixing hole \*screw not supplied



### SP4

Stainless-Steel Urinal grate

with back nut

Grate : 70mm

Flange : 85mm

Thread : 50mm BSP



### SP44 – 110mm

Stainless Steel push in Urinal Grate 110mm across the top

### SP44A – 135mm

Stainless Steel push in Urinal Grate 135mm across the top



### SSBW20

Sink drain protector to suit standard **90mm** outlet hole

50mm BSP outlet

Removable top strainer, lift out basket and fixed secondary strainer

Heavy duty 304 grade stainless steel construction

*Basket only SSBW90B*

### SSBW60


Sink drain protector to suit **125mm** outlet hole

50mm BSP outlet

Removable top strainer, lift out basket and fixed secondary strainer

Heavy duty 304 grade stainless steel construction

*Basket only SSBW125B*



### SSBW40

Butterfly shut off valve system

Sink drain protector to suit standard **90mm** outlet hole

50mm BSP outlet

Removable top strainer, lift out basket and fixed secondary strainer

Heavy duty 304 grade stainless steel construction

*Basket only SSBW90BB*

### SSBW80

Butterfly shut off valve system


Sink drain protector to suit **125mm** outlet hole

50mm BSP outlet

Removable top strainer, lift out basket and fixed secondary strainer

Heavy duty 304 grade stainless steel construction

*Basket only SSBW125BB*



### FG300S

Weld In Trough Grate

Commercial Trough grate 123mm Diameter

Weld or set in application


304 grade stainless steel

Heavy duty lift out basket and secondary strainer

Suits 100mm DWV or 110 HDPE

Basket only code FG100B

\*Also available 183mm trough grate **FG400S** to suit 150mm drain



### Basket Waste


#### BW90S

Fits standard 90mm sink waste hole

50mm bsp male thread for standard trap

Lift out strainer basket also acts as a plug

BW90S (short) 60mm long body




#### BW90L

To fit standard 90mm sink waste hole

50mm bsp male thread for standard trap

Lift out strainer basket also acts as a plug

BW90L (long) 80mm long body




#### BW50

To fit standard 50mm sink waste hole

50mm bsp male thread for standard trap

Lift out strainer basket also acts as a plug

BW50 - 50mm waste outlet



### Standard Plug & Waste

#### PW40

40mm Standard plug & waste Stainless steel rim



#### PW50

50mm Standard plug & waste Stainless steel rim



#### PW9050

90mm x 50mm plug & waste with stainless steel rim



### SSBW

90 x 50mm

Domestic or Commercial use

Primary and secondary strainer

Fits any standard 90mm sink or garbage disposal hole

304 grade stainless steel inner and plug, PVC outer shell

50mm BSP male thread

Sydney Waterboard Approval No 205-3481

Watermark 23228

#### Spare Parts

Scrap catch basket only: **SSBW-B**

Scrap catch plug only: **SSBW-P**



\*90mm waste outlet can be punched and recessed ex. MAS head office Brisbane

### SSBW-1

125 x 50mm

Domestic or Commercial use

Primary and secondary strainer

Fits commercial 125mm sink hole

304 grade stainless steel inner and plug, PVC outer shell

Stainless steel chain to fix plug so it can't be lost

50mm BSP male thread

Sydney Waterboard Approval No 205-3481

Watermark 23228

#### Spare Parts

Scrap catch basket only: **SSBW-1B**

Scrap catch plug only: **SSBW-1P**



\*125mm outlet hole can be punched and recessed ex. MAS head office Brisbane



## PW50AR




50mm acid resistant plug and waste

For general purpose use with acid, solvents and other aggressive chemicals

Injection moulded polypropylene (PP)

Fits standard 50mm trap

On installation apply sealant under body flange. Sealant should be appropriate for the intended application.



## PW50ARS




50mm acid resistant plug and waste

Solid 316 grade stainless steel body and plug

For general purpose use with acid, solvents and other aggressive chemicals

Fits standard 50mm trap





### FG100S


Commercial 150mm square floor grate

304 grade stainless steel

Lift out basket and full height secondary strainer

Suits 100mm DWV or 110 HDPE

Basket only code FG100VBR



### FG200S


Commercial 150mm square floor grate

304 grade stainless steel

Heavy duty lift out basket and secondary strainer

Suits 100mm DWV or 110 HDPE

Basket only code FG100B



### FG100R


Commercial 150mm round floor grate

304 grade stainless steel

Lift out basket and full height secondary strainer

Suits 100mm DWV or 110 HDPE

Basket only code FG100VBR



### FG100VB

Vinyl floor waste


Commercial round vinyl floor grate

304 grade stainless steel

Lift out basket and full height secondary strainer



Suits 100mm DWV or 110 HDPE

Basket only code FG100VBR






### HFW30

<b>Product</b>	Weld In Ice Well HFW30 17 Litres
	300 x 300 x 200mm
<b>Material</b>	304 grade Stainless Steel double skin
<b>Insulation</b>	25mm thick injected polyurethane
<b>Material Thickness</b>	1.2mm internal bowl 1.0mm external bowl
<b>Mounting</b>	Weld into stainless steel bench top
<b>Outlet Size</b>	25mm centre outlet pipe
<b>Features</b>	External shell has a 20mm fixing flange with pre drilled holes for under bench fixing prior to welding



### HFW40

<b>Product</b>	Weld In Ice Well HFW40 38 Litres
	400 x 350 x 300mm
<b>Material</b>	304 grade Stainless Steel double skin
<b>Insulation</b>	25mm thick injected polyurethane
<b>Material Thickness</b>	1.2mm internal bowl 1.0mm external bowl
<b>Mounting</b>	Weld into stainless steel bench top
<b>Outlet Size</b>	25mm centre outlet pipe
<b>Features</b>	External shell has a 20mm fixing flange with pre drilled holes for under bench fixing prior to welding



**HFW30B**

Suitable for HFW30 and HFW30WF

**HFW40B**

Suitable for HFW40 and HFW40WF



**HFW30L**



Suitable for HFW30 and HFW30WF

**HFW40L**

Suitable for HFW40 and HFW40WF



### HFW30WF

<b>Product</b>	Drop In Ice Well HFW30WF 17 Litres
	300 x 300 x 200mm
<b>Cut Out</b>	355 x 355mm
<b>Material</b>	304 grade Stainless Steel double skin
<b>Insulation</b>	25mm thick injected polyurethane
<b>Material Thickness</b>	1.2mm internal bowl 1.0mm external bowl
<b>Mounting</b>	Drop into any bench top
<b>Outlet Size</b>	25mm centre outlet pipe
<b>Features</b>	Raised wet edge for spill guard



### HFW40WF

<b>Product</b>	Drop In Ice Well HFW40WF 38 Litres
	400 x 350 x 300mm
<b>Cut Out</b>	455 x 405mm
<b>Material</b>	304 grade Stainless Steel double skin
<b>Insulation</b>	25mm thick injected polyurethane
<b>Material Thickness</b>	1.2mm internal bowl 1.0mm external bowl
<b>Mounting</b>	Drop into stainless steel bench top
<b>Outlet Size</b>	25mm centre outlet pipe
<b>Features</b>	Raised wet edge for spill guard



**HFW30B**

Suitable for HFW30 and HFW30WF

**HFW40B**

Suitable for HFW40 and HFW40WF



**HFW30L**

Suitable for HFW30 and HFW30WF

**HFW40L**

Suitable for HFW40 and HFW40WF

### GRACK-DW

#### Dishwasher Rack


- Constructed of 304 grade stainless
- Comes complete with 4 pair of tray slides
- Adjustable feet included
- Rivets supplied
- Accessories available
- Designed to be used as bench support





### GRADD-DW

#### Dishwasher Rack Add on Bay

- Single end frame only
- Constructed of 304 grade stainless
- Comes complete with 4 pair of tray slides
- Adjustable feet included
- Rivets supplied
- Attaches to GRACK for multiple bays
- Accessories available



Front View



GRACK-DW

Dishwasher Glass Rack

Also available:

- GRTRA-DW** Glass rack drip tray (also suitable for GRADD-DW)
- GRSLI-DW** Addition tray slides pair (also suitable for GRADD-DW)
- GRSMT** Tray Slides 1mt long pair
- GRNOT** Notched Channel 1mt long single



### GRACK

#### Glass Rack


- Constructed of 304 grade stainless
- Comes complete with 4 pair of tray slides
- Adjustable feet included
- Rivets supplied
- Accessories available
- Designed to be used as bench support




### GRADD

#### Glass Rack Add on Bay

- Single end frame only
- Constructed of 304 grade stainless
- Comes complete with 4 pair of tray slides
- Adjustable feet included
- Rivets supplied
- Attaches to GRACK for multiple bays
- Accessories available




Front View



GRACK

Glass Rack



Also available:


- GRTRA** Glass rack drip tray (also suitable for GRADD)
- GRSLI** Addition tray slides pair (also suitable for GRADD)
- GRSMT** Tray Slides 1mt long pair
- GRNOT** Notched Channel 1mt long single






### MIX20 Basin Mixer

Watermark and WELS approved 5 star rating  
 All fixing parts supplied including hoses  
 100mm fixed faucet  
 Chrome plated brass  
 Compact basin design  
 2 year warranty on tap and 7 year warranty on cartridge for domestic use  
 2 year warranty on tap for commercial use



### MIX22 Sink Mixer

Watermark and WELS approved 4 star rating  
 All fixing parts supplied including hoses  
 200mm swivel faucet  
 Chrome plated brass  
 Larger sink design  
 2 year warranty on tap and 7 year warranty on cartridge for domestic use  
 2 year warranty on tap for commercial use



[Options – Spare parts](#)

#### MIX-DCH

Lever handle only to fit MIX20 /  
 MIX22 40mm cartridge



#### MIX-Cartridge


MIX20 / MIX22 40mm cartridge






### MIX20-DC Lever basin mixer

Lever handle for hands free operation  
Watermark and WELS approved 5 star rating  
All fixing parts supplied including hoses  
120mm swivel faucet  
Chrome plated brass  
Compact basin design  
2 year warranty on tap and 7 year warranty on cartridge for domestic use  
2 year warranty on tap for commercial use



### MIX22-DC Lever sink mixer

Lever handle for hands free operation  
Watermark and WELS approved 4 star rating  
All fixing parts supplied including hoses  
200mm swivel faucet  
Chrome plated brass  
Larger sink design  
2 year warranty on tap and 7 year warranty on cartridge for domestic use  
2 year warranty on tap for commercial use



[Options – Spare parts](#)

### MIX-DCH

Handle only to fit MIX20 / MIX22  
40mm cartridge



### MIX-Cartridge

MIX20 / MIX22 40mm cartridge



### DS5S - Square



### DS5R - Round



The DriSeal is used to protect your benchtop from water damage by creating a barrier to spills and leaks around the tap.

It is an affordable & practical way to protect your benchtop surface from water damage.

Suitable for most mixer brands  
Durable chrome plated brass  
Highly recommend for laminate benchtops  
Available in round or square

#### Installation

1. Select the DriSeal model that best suits your mixer design. Ensure your tapware will fit inside the 38mm diameter of the DriSeal before altering the benchtop.
2. For bench thicknesses less than 36mm, cut the base section to the required height leaving an overlap greater than 3.5mm with the top section. Bench thickness max 50mm/ min 18mm
3. Select a suitable position and drill the correct size hole into the benchtop. A 44mm hole saw is recommended
4. Insert both the base and top sections into the hole, ensuring that the O-ring is sitting in the groove under the top section.
5. Remove the dress ring from the selected tapware, the DriSeal will become the new dress ring.
6. Install your tapware as per normal practice. The clamping action of the installed tapware will secure all DriSeal components.



## PR300 Pre-Rinse & Pot Fill

MAS PR300 Hob Mounted Single Lever Mixer Pre-Rinse Unit is designed to clear excess food debris and sauces off of dishes before placing them in your commercial dishwashers, and an ergonomic trigger handle allows easy and intuitive use.

The PR300 Unit is vital in commercial kitchen restaurants, as many pots are much too large to fit in even the largest of commercial dishwashers.

WELS and WATERMARK Certified

PR300 Pre Rinse unit is perfectly suited to:

- Commercial kitchen
- Restaurants
- Cafes

### Features

- Commercial grade quality and fully backed by our industrial warranty.
- Support spring in chrome plated steel allows the trigger hose to be pulled into the spraying position and returned back to the washing area when released.
- Stylish pin flick mixer that is compact and easy to use.
- Easy to assemble and adjustable wall bracket.
- Flexible hose TPU inner.
- Main riser pipe in stainless steel, and designed for quick and easy installation.
- Chrome plated finish for easy cleaning and added durability.

### Technical Information

- Inlet: 1/2" BSP - Female Flexi Tails
- Outlet: Trigger Spray & Pot Filler
- Headworks: Ceramic Cartridge
- Working Pressure Range (kPa): 100 Min - 500 Max
- Working Temperature Range (°C): 5 Min - 90 Max
- Nominal Flow Rate: 3.5
- Construction: Brass
- Finish: Chrome

#### Spare parts options




PR300-HS



PR-GUN



PR300-SK



- Models**
- DR202LO** 2 Drawer Stack - Lockable
- DR203LO** 3 Drawer Stack - Lockable
- DR202NL** 2 Drawer Stack - Non lockable
- DR203NL** 3 Drawer Stack – Non lockable

**Material** 304 grade stainless steel

**Weight rated** 45 kg / drawer weight rated heavy duty ball bearing runners

**Features**

- Fits under a standard 900mm bench top
- Designed to be used as bench support or free standing
- 840mm high adjustable up to 920mm high
- 480mm wide (including fixing flange)
- 460mm deep (including fixing flange)



### Options – Spare parts





DR20 Locks



DRSLI- Drawer slides

<b>Models</b>	<b>DR20</b>
	<b>DR20-NL</b> Non-lockable
	<b>DR20-KA</b> Keyed alike
<b>Material</b>	304 grade stainless steel
<b>Weight rated</b>	45 kg weight rated heavy duty ball bearing runners
<b>Features</b>	2 keys supplied with lockable models
	Pre drilled housing for quick installation



### [Options – Spare parts](#)



DR20 Locks



DRSLI- Drawer slides

## Hand Fabricated Prep Bowls 1.2mm 304 grade

Code	mm	mm	Depth mm	Capacity	Outlet
HF3S	400	350	250	32L	90mm centre
HF11S	400	400	250	36.5L	90mm centre
HF12S	450	400	250	41.5L	90mm centre
HF6S	450	450	250	46.5L	90mm centre



## Hand Fabricated Bowls 1.2mm 304 grade

Code	mm	mm	Depth mm	Capacity	Outlet
HF10	300	250	200	13.5L	90mm centre
HF1	300	300	200	16.5L	90mm centre
HF2	350	300	300	27.5L	90mm centre
HF16	355	305	170	16L	90mm centre
HF21	400	300	300	32L	90mm centre
HF3	400	350	300	37.5L	90mm centre
HF17	410	355	170	23L	90mm end
HF4	450	300	300	36L	90mm centre
HF5	450	350	300	43L	90mm centre
HF52	450	350	200	31.5L	90mm centre
HF11	400	400	300	43.5L	90mm centre
HF12	450	400	300	50L	90mm centre
HF6	450	450	300	55.5L	90mm centre
HF15	500	500	400	94L	90mm centre
HF7	530	380	300	56L	90mm centre
HF13	550	450	300	68.5L	90mm centre
HF9	550	550	300	85L	90mm centre
HF8	600	450	300	76L	90mm centre
HF18	600	450	217	55L	90mm end
HF14	800	500	300	113L	90mm centre



### Waste Options

BW90S  
BW90L



PW9050



SSBW



SSBW20



SSBW40



## Hand Fabricated Bowls 1.5mm 316 marine grade

Code	mm	mm	Depth mm	Capacity	Outlet
HF116	400	400	300	43.5L	90mm centre
HF66	450	450	300	55.5L	90mm centre
HF86	600	450	300	76L	90mm centre

## Hand Fabricated Bowls 2.0mm 304 grade

Code	mm	mm	Depth mm	Capacity	Outlet
HF112	400	400	300	43.5L	90mm centre
HF62	450	450	300	55.5L	90mm centre
HF82	600	450	300	76L	90mm centre



### HFCB2 Chopping board

Oak Chopping boards

External 430 x 375

Suitable for:

HF17

HF5

HF52



### HFCB3 Chopping board

Oak Chopping boards

External 620 x 470

Suitable for:

HF8

HF18

HF18WF




### DM100

#### Self Adhesive Sound Deadener Roll

Roll size 2500mm x 500mm x 1.6mm

Self Adhesive - Easily cut to size

Used for noise and vibration reduction



### Tungsten Electrodes

**WR16ELE** 1.6 mm x 175mm (10 Pack)

**WR24ELE** 2.4 mm x 175mm (10 Pack)

\* 2% Thoriated Ground Finish



### Weld Wire \*316 grade S/S weld infill wire

**WR10316** 1.0mm x 1000mm 5kg box

**WR16316** 1.6mm x 1000mm 5kg box



**BW90S** Basket waste (short) 60mm long body

**BW90L** Basket waste (long) 80mm long body

50mm bsp male thread for standard trap

Lift out strainer basket also acts as a plug



**PW9050**

Standard 90mm x 50mm Plug & waste

Stainless Steel rim and centre bolt



**SSBW**

90 x 50mm

Primary and secondary strainer

304 grade stainless steel inner and plug, PVC outer



**SSBW20**

Sink drain protector to suit standard **90mm** outlet

50mm bsp male thread

Removable top strainer, lift out basket and fixed secondary strainer

Heavy duty 304 grade stainless steel construction



**SSBW40** Butterfly Shut off valve system

Sink drain protector to suit standard **90mm** outlet

50mm bsp male thread

Removable top strainer, lift out basket and fixed secondary strainer

Heavy duty 304 grade stainless steel construction

### HAN304

#### Stainless steel handle

146 x 14.2 x 30mm


128mm centre holes

304 grade stainless steel

100g bulk stainless

Brushed finish

Supplied with 2 x M4 27mm screws




### HAN304-B

#### 25 x HAN304

Full carton of 25pcs

11% discount from single buys



304 grade stainless steel  
Up to 90mm of adjustment




## FEET

Code	Size	Description
FEE1650	50mm dia disc foot	M16 thread 100mm long stem stainless steel
FEE1670	68mm dia disc foot	M16 thread 100mm long stem stainless steel
FEE16PIN	Pin foot floor insert	M16 thread 100mm long stem stainless steel

## INSERTS

Code	Size	Description
FEE1625	25mm insert only	80mm long M16 female thread
FEE1632	32mm Insert only	80mm long M16 female thread



## Wedge Wire Sheets

Constructed of 304 or 316 grade stainless  
Ideal for drainage and wash down areas  
Convenient sheet sizes

**Sheet Size 1210mm x 1050mm**


\*Top profile 1210mm support bars 1050mm

**Half Sheet 1210mm x 525mm**


\*Top profile 1210mm support bars 525mm

Code	Profile	H (mm)	Grade Stainless
<b>WWS100</b>	3mm wire x 5mm gap	9mm	304 grade
<b>WWS100-316</b>	3mm wire x 5mm gap	9mm	316 grade
<b>WWS200</b>	3mm wire x 3mm gap	10mm	304 grade
<b>WWS200-316</b>	3mm wire x 3mm gap	10mm	316 grade
<b>WWS200D</b>	5.3mm wire x 3mm gap	10mm	316 grade - NON SLIP P5 & R13 Rated
<b>WWS300</b>	5mm wire x 5mm gap	16mm	304 grade - HEAVY DUTY

WWS100



WWS200



WWS300



WWS200D

